



National Nutrient Database for Standard Reference
Release 28 slightly revised May, 2016

Statistics Report 09244, Peaches, dehydrated (low-moisture), sulfured, uncooked

Report Date: June 30, 2017 19:30 EDT

Nutrient values and weights are for edible portion.

| Nutrient | Unit | Value Per 100 g | Data Points | Std. Error | Min | Max | df | LB | UB | # Studies | Source | NDB Ref | Last Modified |
|-----------------------------|------|-----------------|-------------|------------|-----|-----|----|----|----|-----------|---------------------------------------|---------|---------------|
| Proximates | | | | | | | | | | | | | |
| Water | g | 7.50 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Energy | kcal | 325 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 08/1982 |
| Energy | kJ | 1360 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 01/2014 |
| Protein | g | 4.89 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Total lipid (fat) | g | 1.03 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Ash | g | 3.39 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Carbohydrate, by difference | g | 83.18 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 08/1982 |
| Minerals | | | | | | | | | | | | | |
| Calcium, Ca | mg | 38 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Iron, Fe | mg | 5.51 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Magnesium, Mg | mg | 57 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Phosphorus, P | mg | 162 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |

| Nutrient | Unit | Value Per100 g | Data Points | Std. Error | Min | Max | df | LB | UB | # Studies | Source | NDB Ref | Last Modified |
|--------------------------------|------|----------------|-------------|------------|-----|-----|----|----|----|-----------|---------------------------------------|---------|---------------|
| Potassium, K | mg | 1351 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Sodium, Na | mg | 10 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Zinc, Zn | mg | 0.78 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Copper, Cu | mg | 0.493 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Manganese, Mn | mg | 0.413 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Vitamins | | | | | | | | | | | | | |
| Vitamin C, total ascorbic acid | mg | 10.6 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Thiamin | mg | 0.039 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Riboflavin | mg | 0.110 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Niacin | mg | 4.825 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Pantothenic acid | mg | 0.522 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Vitamin B-6 | mg | 0.159 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Folate, total | µg | 7 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Folic acid | µg | 0 | -- | -- | -- | -- | -- | -- | -- | -- | Assumed zero | -- | 01/2001 |

| Nutrient | Unit | Value Per 100 g | Data Points | Std. Error | Min | Max | df | LB | UB | # Studies | Source | NDB Ref | Last Modified |
|------------------------------------|------|--------------------|----------------|------------|-----|-----|----|----|----|-----------|---------------------------------------|---------|---------------|
| Folate, food | µg | 7 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Folate, DFE | µg | 7 | -- | -- | -- | -- | -- | -- | -- | -- | Calculated or imputed | -- | 01/2001 |
| Vitamin B-12 | µg | 0.00 | -- | -- | -- | -- | -- | -- | -- | -- | Assumed zero | -- | 08/1982 |
| Vitamin A, RAE | µg | 71 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 06/2002 |
| Retinol | µg | 0 | -- | -- | -- | -- | -- | -- | -- | -- | Assumed zero | -- | 06/2002 |
| Vitamin A, IU | IU | 1417 | 2 | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Vitamin D (D2 + D3) | µg | 0.0 | -- | -- | -- | -- | -- | -- | -- | -- | Assumed zero | -- | 11/2008 |
| Vitamin D | IU | 0 | -- | -- | -- | -- | -- | -- | -- | -- | Assumed zero | -- | 02/2009 |
| Lipids | | | | | | | | | | | | | |
| Fatty acids, total saturated | g | 0.111 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| 16:0 | g | 0.097 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| 18:0 | g | 0.014 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Fatty acids, total monounsaturated | g | 0.377 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| 16:1 undifferentiated | g | 0.008 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| 18:1 undifferentiated | g | 0.369 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |

| Nutrient | Unit | Value Per 100 g | Data Points | Std. Error | Min | Max | df | LB | UB | # Studies | Source | NDB Ref | Last Modified |
|------------------------------------|------|--------------------|----------------|------------|-----|-----|----|----|----|-----------|---------------------------------------|---------|---------------|
| Fatty acids, total polyunsaturated | g | 0.498 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| 18:2 undifferentiated | g | 0.486 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| 18:3 undifferentiated | g | 0.012 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| 20:4 undifferentiated | g | 0.003 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Cholesterol | mg | 0 | -- | -- | -- | -- | -- | -- | -- | -- | Assumed zero | -- | 08/1982 |
| Amino Acids | | | | | | | | | | | | | |
| Tryptophan | g | 0.014 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Threonine | g | 0.192 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Isoleucine | g | 0.141 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Leucine | g | 0.277 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Lysine | g | 0.157 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Methionine | g | 0.118 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Cystine | g | 0.040 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Phenylalanine | g | 0.154 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |

| Nutrient | Unit | Value Per100 g | Data Points | Std. Error | Min | Max | df | LB | UB | # Studies | Source | NDB Ref | Last Modified |
|---------------|------|----------------|-------------|------------|-----|-----|----|----|----|-----------|---------------------------------------|---------|---------------|
| Tyrosine | g | 0.128 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Valine | g | 0.267 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Arginine | g | 0.124 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Histidine | g | 0.091 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Alanine | g | 0.292 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Aspartic acid | g | 0.817 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Glutamic acid | g | 0.743 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Glycine | g | 0.171 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Proline | g | 0.206 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |
| Serine | g | 0.226 | -- | -- | -- | -- | -- | -- | -- | -- | Analytical or derived from analytical | -- | 08/1982 |